



भारतीय मानक ब्यूरो

(उद्योगोक्ता मानक, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

(दिल्ली शाखा कार्यालय-2)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India)

(Delhi Branch Office-II)



सत्यमेव जयते

यूनिट सं.-601-ए, 6वां तल, कनेक्टस टॉवर, बीएमआरसी भवन,
भवभूति मार्ग, नई दिल्ली रेलवे स्टेशन गेट सं.2 के सामने
(अजमेरी गेट की तरफ), नई दिल्ली -110001

Unit No. 601-A, 6th Floor, Tower-1, Connectus Tower, DI
Building, Bhavbhuti Marg, Opp. New Delhi Railway Stat
Gate No.2 (Towards Ajmeri Gate side), New Delhi-110001

दूरभाष / Phone : (011) 2323 8152

वेबसाइट / Website : www.bis.gov.in

Our Ref :DLBO-II/CM/L 8530094419

Dated: 05-08-2024

Subject: Grant of BIS Certification Marks Licence No 8530094419 as per IS 16647:2017.

ADARSH PVC PIPES PRIVATE LIMITED,
KILLA NO 36/13/2, 36/14, NATHUPUR, RAI - 131029,

Dear Madams(s)/Sir,

With reference to your application, we are pleased to inform you that the Certification Marks Licence has been granted to you to use the Standard Mark in respect of the followings:

ORIENTED UNPLASTICIZED POLYVINYL CHLORIDE (PVC-O) PIPES FOR WATER SUPPLY

Product:-

Grade/Class/Type/Variety

Name of the product- ORIENTED UNPLASTICIZED POLYVINYL CHLORIDE (PVC-O) PIPES FOR WATER SUPPLY, Material classification-500, Design coefficient (C)-1.4, Class of pipes (Pressure rating)-16, Nominal Size-125 to 315 mm, End of pipes- 125mm and upto and including 315 mm a) Plain ended pipes b) Integrally Socketed for elastomeric sealing ring jointing.

1. The licence is granted on the explicit condition that you will mark entire/substantial production which conforms to the Indian Standards.


2.The number assigned to this licence is CM/L- 8530094419 which has been made operative from 2024-07-25 and is valid upto 2025-07-24. The licence number should invariably be referred to in your future correspondence.

According to sub-regulation (1) &(3) of Paragraph 5 of scheme I of Schedule II under Bureau of Indian Standards (Conformity of Assessment) Regulation, 2018, the annual licence fee of Rs. 1000.00 and the marking fee for use of standard mark as per Annexure-I of Scheme I of BIS(Conformity assessment) Regulation 2018 is payable by you with effect from 2024-07-25 for the period of validity of the licence in advance.

3. Minimum marking fee stipulated in Annexure -I of scheme I of BIS (Conformity Assessment) Regulation 2018 is payable by you regardless of the whether you actually mark your product or not with the Standard Mark. **Our Receipt No. AA85PC2024000747** dated 2024-06-25 for the licence fee and the minimum marking fee for the first operative period is already *issued/enclosed/being sent separately.

4. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher shall be payable by you at the time of renewal.
5. With a view to streamlining the reporting of quantity marked, calculation and collection of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal, and on the production marked during twelve months comprising the last three months of the previous operative year and the first nine months of the current operative year, at the time of the second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.
6. The Scheme of Testing and Inspection submitted by you and agreed by BIS or the Scheme of Testing and Inspection as specified by BIS will have to be implemented by your organization strictly and completely. This supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organization. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us as and when these take place.
7. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product. Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions maintained. Preferred dimensions be used as far as possible.
8. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in various media only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the Standard Mark on your letterheads, publicity literatures etc. will be destroyed/obliterated.
9. This licence is granted for your factory situated at **KILLA NO 36/13/2, 36/14, NATHUPUR, RAI - 131029**, Privileges under the licence shall not be exercised by any other firm company/factory etc. This licence is not transferable in the event of shifting the manufacturing and testing equipment from the licensed premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by us in respect of manufacturing and testing facilities available there and the address of the new premises is endorsed in the licence..

Thanking You,
Signature of Designated authority



प्रमुख (दिल्ली शाखा कार्यालय-II)